





INTEGRITY

COMPASSION

EVOLUTION.

Yale

AG POWER

16 987

POWERLINE

SION:

EVO











WARNING

Trained Operators and Mechanics Only



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN

Yale

Lift Truck Model **ESC030ADN36TQ084**


Serial No. **C883N03264R**

Attachment: 978 mm (39 in) SS Crg + 1219 mm (48 in) Forks

Truck Wt. Less Battery **3350 kg (7818 lb)** Type **EO 36 Volts**
Truck Wt. Max Battery **4570 kg (10070 lb)** Max A.H. (6 Hr Rt) **1240**
Allowable Battery Wt. **1040 kg (2300 lb)** to **1220 kg (2700 lb)**
Tread Width **890 mm (35 in)** Back Tilt **5.0 Degrees**

Tire	Front	Rear
Size	18X7X12-1/8 Cushion	10.00X5X6.5 Poly
Pressure	---	---

MAXIMUM CAPACITY	Load Height	Load Center	
	Dim. A	Dim. B	Dim. C
1080 kg (2350 lb)	6121mm (241 in)	610 mm (24 in)	610 mm (24 in)
0 kg (0 lb)	0 mm (0 in)	0 mm (0 in)	0 mm (0 in)



ESC030A